# AUTHOR INDEX


Anderson, R. A.
Fire Safety Evaluation of Aircraft Lavatory and Cargo Compartments, p. 125

Arnold, D. B.
Fire Safety Evaluation of Aircraft Lavatory and Cargo Compartments, p. 125

Bankston, C. P.
Initial Data on the Physical Properties of Smoke Produced by Burning Materials Under Different Conditions, p. 165

Barron, S.
An Investigation of the Effects of High Temperatures Upon Various Industrial Polymers, p. 387

Benisek, L.
Variables in the NBS Smoke Chamber, p. 337

Binding, A. T.
Fire Safety Evaluation of Aircraft Lavatory and Cargo Compartments, p. 125

Borsini, G.
Smoke Emission of Aircraft Seat Materials, p. 530

Brauman, S. K.
Smoke Generation from the Burning of Some Polymeric Materials, p. 41

Breden, L. H.
The Effect of Sample Orientation in the Smoke Density Chamber, p. 234

Brolly, A. S.
Smoke Generation from the Burning of Some Polymeric Materials, p. 41

Bryan, J. L.
The Determination of Behavior Responses Exhibited in Fire Situations, p. 319

Cardinali, C.
Smoke Emission of Aircraft Seat Materials, p. 530

Carmack, B. J.
Human Behavior in Fires, p. 559

Cassanova, R. A.
Initial Data on the Physical Properties of Smoke Produced by Burning Materials Under Different Conditions, p. 165

Chamberlain, D. L.
Smoke Generation from the Burning of Some Polymeric Materials, p. 41

Dieck, R. L.
Flame and Smoke Properties of Filled and Unfilled Poly-(Aryloxyphosphazene) Homopolymers, p. 5

Flame and Smoke Properties of Polyphosphazenes. II. 1:1-Poly(Aryloxyphosphazene) Copolymers, p. 358

Draemel, R.
Fire Containment Tests of Aircraft Interior Panels, p. 257

Fang, J. B.
Measurements of the Behavior of Incidental Fires in a Compartment, p. 368

Fish, R. H.
Ames T-3 Fire Test Facility – Aircraft Crash Fire Simulation, p. 470

Fisher, F.
Fire Containment Tests of Aircraft Interior Panels, p. 257

Fishman, N.
Smoke Generation from the Burning of Some Polymeric Materials, p. 41

Fookson, A.
Performance Characteristics of Semiconductor Sensors Under Pyrolytic, Flaming, and Smoldering Combustion Conditions, p. 71

Gaume, J. G.
Fire Safety Evaluation of Aircraft Lavatory and Cargo Compartments, p. 125

Gilwee, W. J., Jr.
Flammability Characteristics of Aircraft Interior Composites, p. 401

Grand, A. F.
Defining the Smoke Density Hazard of Plastics, p. 217

Hadvig, S.
One-Dimensional Charring Rates in Wood, p. 433

Hasegawa, H.
Fire Containment Tests of Aircraft Interior Panels, p. 257

Hazlett, R. N.
Some Fire Considerations for Transportation of Self-Heating Chemicals, p. 303

Hilado, C. J.
Fire Containment Tests of Aircraft Interior Panels, p. 257

Fire Response Characteristics of Non-Metallic Materials: A Review of Recent Papers and Reports, p. 539

# AUTHOR INDEX


Anderson, R. A.
Fire Safety Evaluation of Aircraft Lavatory and Cargo Compartments, p. 125

Arnold, D. B.
Fire Safety Evaluation of Aircraft Lavatory and Cargo Compartments, p. 125

Bankston, C. P.
Initial Data on the Physical Properties of Smoke Produced by Burning Materials Under Different Conditions, p. 165

Barron, S.
An Investigation of the Effects of High Temperatures Upon Various Industrial Polymers, p. 387

Benisek, L.
Variables in the NBS Smoke Chamber, p. 337

Binding, A. T.
Fire Safety Evaluation of Aircraft Lavatory and Cargo Compartments, p. 125

Borsini, G.
Smoke Emission of Aircraft Seat Materials, p. 530

Brauman, S. K.
Smoke Generation from the Burning of Some Polymeric Materials, p. 41

Breden, L. H.
The Effect of Sample Orientation in the Smoke Density Chamber, p. 234

Brolly, A. S.
Smoke Generation from the Burning of Some Polymeric Materials, p. 41

Bryan, J. L.
The Determination of Behavior Responses Exhibited in Fire Situations, p. 319

Cardinali, C.
Smoke Emission of Aircraft Seat Materials, p. 530

Carmack, B. J.
Human Behavior in Fires, p. 559

Cassanova, R. A.
Initial Data on the Physical Properties of Smoke Produced by Burning Materials Under Different Conditions, p. 165

Chamberlain, D. L.
Smoke Generation from the Burning of Some Polymeric Materials, p. 41

Dieck, R. L.
Flame and Smoke Properties of Filled and Unfilled Poly-(Aryloxyphosphazene) Homopolymers, p. 5

Flame and Smoke Properties of Polyphosphazenes. II. 1:1-Poly(Aryloxyphosphazene) Copolymers, p. 358

Draemel, R.
Fire Containment Tests of Aircraft Interior Panels, p. 257

Fang, J. B.
Measurements of the Behavior of Incidental Fires in a Compartment, p. 368

Fish, R. H.
Ames T-3 Fire Test Facility – Aircraft Crash Fire Simulation, p. 470

Fisher, F.
Fire Containment Tests of Aircraft Interior Panels, p. 257

Fishman, N.
Smoke Generation from the Burning of Some Polymeric Materials, p. 41

Fookson, A.
Performance Characteristics of Semiconductor Sensors Under Pyrolytic, Flaming, and Smoldering Combustion Conditions, p. 71

Gaume, J. G.
Fire Safety Evaluation of Aircraft Lavatory and Cargo Compartments, p. 125

Gilwee, W. J., Jr.
Flammability Characteristics of Aircraft Interior Composites, p. 401

Grand, A. F.
Defining the Smoke Density Hazard of Plastics, p. 217

Hadvig, S.
One-Dimensional Charring Rates in Wood, p. 433

Hasegawa, H.
Fire Containment Tests of Aircraft Interior Panels, p. 257

Hazlett, R. N.
Some Fire Considerations for Transportation of Self-Heating Chemicals, p. 303

Hilado, C. J.
Fire Containment Tests of Aircraft Interior Panels, p. 257

Fire Response Characteristics of Non-Metallic Materials: A Review of Recent Papers and Reports, p. 539

Fire Safety Evaluation of Aircraft Lavatory and Cargo Compartments, p. 125

Flammability Characteristics of Aircraft Interior Composites, p. 401

The Multicapability Fire Test Method, p. 248

A Review of the Journal of Fire and Flammability Supplements 1970–1975, p. 288

Hsu, M. S.
Flammability Characteristics of Aircraft Interior Composites, p. 401

Indritz, D.
Full-Scale Shipboard Fire Test: Comparison of Three Parameters via Perspective Plotting, p. 59

Karim, G. A.
A Consideration of the Flammability of Mixtures Resulting from Mass Diffusion, p. 450

Kourtides, D. A.
Fire Containment Tests of Aircraft Interior Panels, p. 257

Fire Safety Evaluation of Aircraft Lavatory and Cargo Compartments, p. 125

Flammability Characteristics of Aircraft Interior Composites, p. 401

LaBoissiere, L. A.
Flammability Characteristics of Aircraft Interior Composites, p. 401

Lee, C. K.
Flame Propagation Characteristics of Cylindrical PMMA Rods, p. 104

Leon, H. A.
Fire Containment Tests of Aircraft Interior Panels, p. 257

Lerner, N. R.
Flammability Characteristics of Aircraft Interior Composites, p. 401

Lipowitz, J.
Flammability of Poly(Dimethylsiloxanes). I. A Model for Combustion, p. 482

Flammability of Poly(Dimethylsiloxanes). II. Flammability and Fire Hazard Properties, p. 504

Marcussen, W. H.
Fire Containment Tests of Aircraft Interior Panels, p. 257

Massoudi, M. S.
The Burning of Solid Polymeric Particles in a Reactive Environment. I. Wood, p. 347

The Impact of Fire Research on the Building Industries and Fire Services in the Next Decade, p. 279

Matthews, R. D.
Limiting Oxygen Index Measurement and Interpretation in an Opposed Flow Diffusion Flame Apparatus, p. 200

May, M.
Performance Characteristics of Semiconductor Sensors Under Pyrolytic, Flaming, and Smoldering Combustion Conditions, p. 71

Meisters, M.
The Effect of Sample Orientation in the Smoke Density Chamber, p. 234

Mikeska, J. L.
Fire Safety Evaluation of Aircraft Lavatory and Cargo Compartments, p. 125

Nakakuki, A.
Flame Spread Over Solid and Liquid Fuels, p. 19

Palmer, T. Y.
Absorption by Smoke Particles of Thermal Radiation in Large Fires, p. 460

Parker, J. A.
Fire Containment Tests of Aircraft Interior Panels, p. 257

Fire Safety Evaluation of Aircraft Lavatory and Cargo Compartments, p. 125

Flammability Characteristics of Aircraft Interior Composites, p. 401

Paulsen, O. R.
One-Dimensional Charring Rates in Wood, p. 433

Phillips, W. A.
Variables in the NBS Smoke Chamber, p. 337

Powell, E. A.
Initial Data on the Physical Properties of Smoke Produced by Burning Materials Under Different Conditions, p. 165

Quinn, E. J.
Flame and Smoke Properties of Filled and Unfilled Poly-(Aryloxyphosphazene) Homopolymers, p. 5

Flame and Smoke Properties of Polyphosphazenes. II. 1:1-Poly(Aryloxyphosphazene) Copolymers, p. 358

Sauers, D. G.
The Effects of Forced Air Flow and Oxygen Concentration on Flammability, Smoke Density, and Pyrolytic Toxicity, p. 181

Sawyer, R. F.
Limiting Oxygen Index Measurement and Interpretation in an Opposed Flow Diffusion Flame Apparatus, p. 200

Stone, J. P.
Some Fire Considerations for Transportation of Self-Heating Chemicals, p. 303

Tsang, P.
A Consideration of the Flammability of Mixtures Resulting from Mass Diffusion, p. 450

Tustin, E.
Fire Safety Evaluation of Aircraft Lavatory and Cargo Compartments, p. 125

Wagner, J. P.
Performance Characteristics of Semiconductor Sensors Under Pyrolytic, Flaming, and Smoldering Combustion Conditions, p. 71

Wells, E. E., Jr.
Full-Scale Shipboard Fire Test: Comparison of Three Parameters via Perspective Plotting, p. 59

Williams, F. W.
Full-Scale Shipboard Fire Test: Comparison of Three Parameters via Perspective Plotting, p. 59

Some Fire Considerations for Transportation of Self-Heating Chemicals, p. 303

Williamson, R. B.
Fire Containment Tests of Aircraft Interior Panels, p. 257

Wilson, W. J.
Large Scale Fire Tests, p. 112

Ziemelis, M. J.
Flammability of Poly(Dimethylsiloxanes). II. Flammability and Fire Hazard Properties, p. 504

Zinn, B. T.
Initial Data on the Physical Properties of Smoke Produced by Burning Materials Under Different Conditions, p. 165

## SUBJECT INDEX

Absorption
Absorption by Smoke Particles of Thermal Radiation in Large Fires, p. 460

Air
A Consideration of the Flammability of Mixtures Resulting From Mass Diffusion, p. 450

Air Velocity
The Effects of Forced Air Flow and Oxygen Concentration on Flammability, Smoke Density, and Pyrolytic Toxicity, p. 181

Aircraft Composites
Fire Containment Tests of Aircraft Interior Panels, p. 257

Aircraft Crash Fire, Simulation
Ames T-3 Fire Test Facility – Aircraft Crash Fire Simulation, p. 470

Aircraft Fires
Fire Safety Evaluation of Aircraft Lavatory and Cargo Compartments, p. 125

Aircraft Interiors
Fire Safety Evaluation of Aircraft Lavatory and Cargo Compartments, p. 125

Aircraft Interior Panels
Fire Containment Tests of Aircraft Interior Panels, p. 257
Flammability Characteristics of Aircraft Interior Composites, p. 401

Aircraft Seat Materials
Smoke Emission of Aircraft Seat Materials, p. 530

Alkoxy Substituents
Flame and Smoke Properties of the Polyphosphazenes. II. 1:1-Poly(Aryloxyphosphazene) Copolymers, p. 358

Alumina Trihydrate
Flame and Smoke Properties of Filled and Unfilled Poly(Aryloxyphosphazene) Homopolymers, p. 5

Aluminum Ship
Full-Scale Shipboard Fire Test: Comparison of Three Parameters Via Perspective Plotting, p. 59

Ames T-3 Fire Test Facility
Ames T-3 Fire Test Facility – Aircraft Crash Fire Simulation, p. 470

Animal Exposure Tests
Fire Containment Tests of Aircraft Interior Panels, p. 257
Fire Safety Evaluation of Aircraft Lavatory and Cargo Compartments, p. 125

Astrel
An Investigation of the Effects of High Temperatures Upon Various Industrial Polymers, p. 387

Behavior
Measurements of the Behavior of Incidental Fires in a Compartment, p. 368

Behavior, Human
Human Behavior in Fires, p. 559

Behavior Responses
The Determination of Behavior Responses Exhibited in Fire Situations, p. 319

Bismaleimide Resins
Flammability Characteristics of Aircraft Interior Composites, p. 401

Buildings
Measurements of the Behavior of Incidental Fires in a Compartment, p. 368

Building Industry
The Impact of Fire Research on the Building Industries and Fire Services in the Next Decade, p. 279

Building Occupancy
The Determination of Behavior Responses Exhibited in Fire Situations, p. 319

Burner
Variables in the NBS Smoke Chamber, p. 337

Burning
The Burning of Solid Polymeric Particles in a Reactive Environment. I. Wood, p. 347

Burning Materials
Initial Data on the Physical Properties of Smoke Produced by Burning Materials Under Different Conditions, p. 165

Burning of PMMA Rods
Flame Propagation Characteristics of Cylindrical PMMA Rods, p. 104

Burn Rate
Flammability of Poly(Dimethylsiloxanes). II. Flammability and Fire Hazard Properties, p. 504

Burn Speed
Large Scale Fire Tests, p. 112

Burn-Through Time
Fire Containment Tests of Aircraft Interior Panels, p. 257

Fire Safety Evaluation of Aircraft Lavatory and Cargo Compartments, p. 125

Burn Time
Full-Scale Shipboard Fire Test: Comparison of Three Parameters Via Perspective Plotting, p. 59

Calcium Carbonate
Flame and Smoke Properties of Filled and Unfilled Poly(Aryloxyphosphazene) Homopolymers, p. 5

Cargo Compartments, Aircraft
Fire Safety Evaluation of Aircraft Lavatory and Cargo Compartments, p. 125

Carpet
Measurements of the Behavior of the Incidental Fires in a Compartment, p. 368

Carpeting
Variables in the NBS Smoke Chamber, p. 337

Charring Rates
One-Dimensional Charring Rates in Wood, p. 433

Combustibility
Measurements of the Behavior of the Incidental Fires in a Compartment, p. 368

Combustion
Performance Characteristics of Semiconductor Sensors Under Pyrolytic, Flaming, and Smoldering Combustion Conditions, p. 71

Combustion Characteristics
The Burning of Solid Polymeric Particles in a Reactive Environment. I. Wood, p. 347

Combustion Products
Flammability of Poly(Dimethylsiloxanes). I. A Model for Combustion, p. 482

Initial Data on the Physical Properties of Smoke Produced by Burning Materials Under Different Conditions, p. 165

Large Scale Fire Tests, p. 112

Combustion Toxicology (Journal)
A Review of the Journal of Fire and Flammability and Supplements 1970–1975, p. 288

Compartment, Ventilated
Measurements of the Behavior of the Incidental Fires in a Compartment, p. 368

Composites
Flammability Characteristics of Aircraft Interior Composites, p. 401

Compressed Air
Flame Spread Over Solid and Liquid Fuels, p. 19

Conductive Heat
Flame Spread Over Solid and Liquid Fuels, p. 19

Consumer Product Flammability (Journal)
A Review of the Journal of Fire and Flammability and Supplements 1970–1975, p. 288

Convection Column
Absorption by Smoke Particles of Thermal Radiation in Large Fires, p. 460

Convective Diffusion
A Consideration of the Flammability of Mixtures Resulting From Mass Diffusion, p. 450

Copolymers
Flame and Smoke Properties of the Polyphosphazenes. II. 1:1-Poly(Aryloxyphosphazene) Copolymers, p. 358

Crosslinked Polyester
Smoke Generation From the Burning of Some Polymeric Materials, p. 41

Degradation Rate
An Investigation of the Effects of High Temperatures Upon Various Industrial Polymers, p. 387

Detection
The Impact of Fire Research on the Building Industries and Fire Services in the Next Decade, p. 279

Detector Performance
Performance Characteristics of Semiconductor Sensors Under Pyrolytic, Flaming, and Smoldering Combustion Conditions, p. 71

Detector Response
Fire Safety Evaluation of Aircraft Lavatory and Cargo Compartments, p. 125

Diffusion, Convective
A Consideration of the Flammability of Mixtures Resulting From Mass Diffusion, p. 450

Diffusion Flame
Flammability of Poly(Dimethylsiloxanes). I. A Model for Combustion, p. 482

Diffusion, Mass
A Consideration of the Flammability of Mixtures Resulting From Mass Diffusion, p. 450

Diffusion, Molecular
A Consideration of the Flammability of Mixtures Resulting From Mass Diffusion, p. 450

Effective Enthalpy of Gasification
Limiting Oxygen Index Measurement and Interpretation in an Opposed Flow Diffusion Flame Apparatus, p. 200

Extinction
Limiting Oxygen Index Measurement and Interpretation in an Opposed Flow Diffusion Flame Apparatus, p. 200

Extinguishment
Flammability of Poly(Dimethylsiloxanes). II. Flammability and Fire Hazard Properties, p. 504

Full-Scale Shipboard Fire Test: Comparison of Three Parameters Via Perspective Plotting, p. 59

The Impact of Fire Research on the Building Industries and Fire Services in the Next Decade, p. 279

False Alarming
Performance Characteristics of Semiconductor Sensors Under Pyrolytic, Flaming, and Smoldering Combustion Conditions, p. 71

Familial Ties
Human Behavior in Fires, p. 559

Fillers
Flame and Smoke Properties of Filled and Unfilled Poly(Aryloxyphosphazene) Homopolymers, p. 5

Flame and Smoke Properties of the Polyphosphazenes. II. 1:1-Poly(Aryloxyphosphazene) Copolymers, p. 358

Fires, Aircraft
Ames T-3 Fire Test Facility — Aircraft Crash Fire Simulation, p. 470

Fire Awareness
The Determination of Behavior Responses Exhibited in Fire Situations, p. 319

Fire Containment
Fire Containment Tests of Aircraft Interior Panels, p. 257

Fire Safety Evaluation of Aircraft Lavatory and Cargo Compartments, p. 125

Flammability Characteristics of Aircraft Interior Composites, p. 401

Fire Control Measures
The Impact of Fire Research on the Building Industries and Fire Services in the Next Decade, p. 279

Fire Departments
The Determination of Behavior Responses Exhibited in Fire Situations, p. 319

Fire Endurance
Ames T-3 Fire Test Facility — Aircraft Crash Fire Simulation, p. 470

The Multicapability Fire Test Method, p. 248

Fire-Fighting Behavior
The Determination of Behavior Responses Exhibited in Fire Situations, p. 319

Fire Hazard
The Multicapability Fire Test Method, p. 248

Some Fire Considerations for Transportation of Self-Heating Chemicals, p. 303

Fire Hazard Properties, PDMS
Flammability of Poly(Dimethylsiloxanes). II. Flammability and Fire Hazard Properties, p. 504

Fire Intensity
Measurements of the Behavior of the Incidental Fires in a Compartment, p. 368

Fire Load
Fire Containment Tests of Aircraft Interior Panels, p. 257

Fire Performance
The Effect of Sample Orientation in the Smoke Density Chamber, p. 234

Fire Research
The Impact of Fire Research on the Building Industries and Fire Services in the Next Decade, p. 279

Fire Response Characteristics
Fire Response Characteristics of Non-Metallic Materials: A Review of Recent Papers and Reports, p. 539

Fire Retardant Additives
Smoke Generation From the Burning of Some Polymeric Materials, p. 41

Fire Retardant Chemistry (Journal)
A Review of the Journal of Fire and Flammability and Supplements 1970–1975, p. 288

Fire Safety
Fire Safety Evaluation of Aircraft Lavatory and Cargo Compartments, p. 125

Fire Services
The Impact of Fire Research on the Building Industries and Fire Services in the Next Decade, p. 279

Fire Situations
The Determination of Behavior Responses Exhibited in Fire Situations, p. 319

Human Behavior in Fires, p. 559

Fire Spread
Absorption by Smoke Particles of Thermal Radiation in Large Fires, p. 460

A Consideration of the Flammability of Mixtures Resulting From Mass Diffusion, p. 450

Fire Safety Evaluation of Aircraft Lavatory and Cargo Compartments, p. 125

The Impact of Fire Research on the Building Industries and Fire Services in the Next Decade, p. 279

Fire Test
Full-Scale Shipboard Fire Test: Comparison of Three Parameters Via Perspective Plotting, p. 59

The Multicapability Fire Test Method, p. 248

Fire Tests, Large Scale
Large Scale Fire Tests, p. 112

Flame
Measurements of the Behavior of the Incidental Fires in a Compartment, p. 368

Flame Front
Flame Spread Over Solid and Liquid Fuels, p. 19

Flame Propagation Rates
The Effects of Forced Air Flow and Oxygen Concentration on Flammability, Smoke Density, and Pyrolytic Toxicity, p. 181

Flame Properties
Flame and Smoke Properties of the Polyphosphazenes. II. 1:1-Poly(Aryloxyphosphazene) Copolymers, p. 358

Flame Resistance
Flame and Smoke Properties of the Polyphosphazenes. II. 1:1-Poly(Aryloxyphosphazene) Copolymers, p. 358

Flame Retardants
Defining the Smoke Density Hazard of Plastics, p. 217

Flame Retarded Polymers
Defining the Smoke Density Hazard of Plastics, p. 217

Flame Spread
Fire Response Characteristics of Non-Metallic Materials: A Review of Recent Papers and Reports, p. 539

Flame Propagation Characteristics of Cylindrical PMMA Rods, p. 104

Flame Spread Over Solid and Liquid Fuels, p. 19

Flammability of Poly(Dimethylsiloxanes). II. Flammability and Fire Hazard Properties, p. 504

The Multicapability Fire Test Method, p. 248

Flame Temperatures
Flammability of Poly(Dimethylsiloxanes). I. A Model for Combustion, p. 482

Flaming
Variables in the NBS Smoke Chamber, p. 337

Flaming Combustion
Performance Characteristics of Semiconductor Sensors Under Pyrolytic, Flaming, and Smoldering Combustion Conditions, p. 71

Flammability
Fire Containment Tests of Aircraft Interior Panels, p. 257

Flame and Smoke Properties of Filled and Unfilled Poly(Aryloxyphosphazene) Homopolymers, p. 5

Flame and Smoke Properties of the Polyphosphazenes. II. 1:1-Poly(Aryloxyphosphazene) Copolymers, p. 358

Flammability Characteristics of Aircraft Interior Composites, p. 401

Flammability Limits
A Consideration of the Flammability of Mixtures Resulting From Mass Diffusion, p. 450

Flammability of Mixtures
A Consideration of the Flammability of Mixtures Resulting From Mass Diffusion, p. 450

Flammability Properties, PDMS
Flammability of Poly(Dimethylsiloxanes). II. Flammability and Fire Hazard Properties, p. 504

Flammability Tests
The Effect of Sample Orientation in the Smoke Density Chamber, p. 234

The Effects of Forced Air Flow and Oxygen Concentration on Flammability, Smoke Density, and Pyrolytic Toxicity, p. 181

Flash Photolipis
Flammability of Poly(Dimethylsiloxanes). I. A Model for Combustion, p. 482

Flow Diffusion Flame, Opposed
Limiting Oxygen Index Measurement and Interpretation in an Opposed Flow Diffusion Flame Apparatus, p. 200

Foot Tunnel
The Multicapability Fire Test Method, p. 248

Forced Air Flow
The Effects of Forced Air Flow and Oxygen Concentration on Flammability, Smoke Density, and Pyrolytic Toxicity, p. 181

Fuel-Air Mixtures
A Consideration of the Flammability of Mixtures Resulting From Mass Diffusion, p. 450

Fuel-Air Ratios
Flammability of Poly(Dimethylsiloxanes). I. A Model for Combustion, p. 482

Fuel Bed
Flame Propagation Characteristics of Cylindrical PMMA Rods, p. 104

Fuel Loading
Performance Characteristics of Semiconductor Sensors Under Pyrolytic, Flaming, and Smoldering Combustion Conditions, p. 71

Fuel Particles
The Burning of Solid Polymeric Particles in a Reactive Environment. I. Wood, p. 347

Furnace Tests
One-Dimensional Charring Rates in Wood, p. 433

Furnishings
Measurements of the Behavior of the Incidental Fires in a Compartment, p. 368

Gas Phase
Flame Spread Over Solid and Liquid Fuels, p. 19

Smoke Generation From the Burning of Some Polymeric Materials, p. 41

Gasification
The Burning of Solid Polymeric Particles in a Reactive Environment. I. Wood, p. 347

Limiting Oxygen Index Measurement and Interpretation in an Opposed Flow Diffusion Flame Apparatus, p. 200

Geometry, Sample
Smoke Generation From the Burning of Some Polymeric Materials, p. 41

Global Activation Energy
Limiting Oxygen Index Measurement and Interpretation in an Opposed Flow Diffusion Flame Apparatus, p. 200

Gravimetric Collection
Smoke Generation From the Burning of Some Polymeric Materials, p. 41

Harvard Medical School Smoke Toxicity Apparatus
The Multicapability Fire Test Method, p. 248

Hazard Indices
The Impact of Fire Research on the Building Industries and Fire Services in the Next Decade, p. 279

Hazardous Materials
Some Fire Considerations for Transportation of Self-Heating Chemicals, p. 303

Heat Buildup
Full-Scale Shipboard Fire Test: Comparison of Three Parameters Via Perspective Plotting, p. 59

Heat Deflection
An Investigation of the Effects of High Temperatures Upon Various Industrial Polymers, p. 387

Heat Detector
Performance Characteristics of Semiconductor Sensors Under Pyrolytic, Flaming, and Smoldering Combustion Conditions, p. 71

Heat Flux
Fire Safety Evaluation of Aircraft Lavatory and Cargo Compartments, p. 125

Measurements of the Behavior of the Incidental Fires in a Compartment, p. 368

Variables in the NBS Smoke Chamber, p. 337

Heat Release
Fire Containment Tests of Aircraft Interior Panels, p. 257

Fire Response Characteristics of Non-Metallic Materials: A Review of Recent Papers and Reports, p. 539

Flammability of Poly(Dimethylsiloxanes). II. Flammability and Fire Hazard Properties, p. 504

Measurements of the Behavior of the Incidental Fires in a Compartment, p. 368

The Multicapability Fire Test Method, p. 248

Heat Transfer
Flame Spread Over Solid and Liquid Fuels, p. 19

One-Dimensional Charring Rates in Wood, p. 433

Some Fire Considerations for Transportation of Self-Heating Chemicals, p. 303

High-Rise Fires
The Effects of Forced Air Flow and Oxygen Concentration on Flammability, Smoke Density, and Pyrolytic Toxicity, p. 181

Homopolymers
Flame and Smoke Properties of Filled and Unfilled Poly(Aryloxyphosphazene) Homopolymers, p. 5

Honeycomb Panels
Flammability Characteristics of Aircraft Interior Composites, p. 401

Horizontal Smoke Measurement
The Effect of Samply Orientation in the Smoke Density Chamber, p. 234

Hot-Pack Oven
An Investigation of the Effects of High Temperatures Upon Various Industrial Polymers, p. 387

Human Behavior
Human Behavior in Fires, p. 559

Hydrated Silica
Flame and Smoke Properties of Filled and Unfilled Poly(Aryloxyphosphazene) Homopolymers, p. 5

Hydrogen Peroxide
Some Fire Considerations for Transportation of Self-Heating Chemicals, p. 303

Hypalon
An Investigation of the Effects of High Temperatures Upon Various Industrial Polymers, p. 387

Ignitability Tests
Limiting Oxygen Index Measurement and Interpretation in an Opposed Flow Diffusion Flame Apparatus, p. 200

Ignition
A Consideration of the Flammability of Mixtures Resulting From Mass Diffusion, p. 450

Fire Response Characteristics of Non-Metallic Materials: A Review of Recent Papers and Reports, p. 539

Fire Safety Evaluation of Aircraft Lavatory and Cargo Compartments, p. 125

Flammability of Poly(Dimethylsiloxanes). II. Flammability and Fire Hazard Properties, p. 504

The Impact of Fire Research on the Building Industries and Fire Services in the Next Decade, p. 279

Large Scale Fire Tests, p. 112

Measurements of the Behavior of the Incidental Fires in a Compartment, p. 368

The Multicapability Fire Test Method, p. 248

Incidental Fires
Measurements of the Behavior of the Incidental Fires in a Compartment, p. 368

Industrial Polymers
An Investigation of the Effects of High Temperatures Upon Various Industrial Polymers, p. 387

Irradiation
One-Dimensional Charring Rates in Wood, p. 433

Journal of Fire & Flammability
A Review of the Journal of Fire and Flammability and Supplements 1970–1975, p. 288

JP-4 Fuel Fires
Ames T-3 Fire Test Facility — Aircraft Crash Fire Simulation, p. 470

Jumping
Human Behavior in Fires, p. 559

Kapton
An Investigation of the Effects of High Temperatures Upon Various Industrial Polymers, p. 387

Kinetic Spectroscopy
Flammability of Poly(Dimethylsiloxanes). I. A Model for Combustion, p. 482

Kynar
An Investigation of the Effects of High Temperatures Upon Various Industrial Polymers, p. 387

Large Scale Pool Burning
Flammability of Poly(Dimethylsiloxanes). II. Flammability and Fire Hazard Properties, p. 504

Lavatory, Aircraft
Fire Safety Evaluation of Aircraft Lavatory and Cargo Compartments, p. 125

Lexan
An Investigation of the Effects of High Temperatures Upon Various Industrial Polymers, p. 387

Light Obscuration
Defining the Smoke Density Hazard of Plastics, p. 217

The Effect of Sample Orientation in the Smoke Density Chamber, p. 234

The Multicapability Fire Test Method, p. 248

Limiting Oxygen Index
Limiting Oxygen Index Measurement and Interpretation in an Opposed Flow Diffusion Flame Apparatus, p. 200

Liquid Fuels
Flame Spread Over Solid and Liquid Fuels, p. 19

Mass Burning Rate
Smoke Generation From the Burning of Some Polymeric Materials, p. 41

Mass Density
Absorption by Smoke Particles of Thermal Radiation in Large Fires, p. 460

Mass Diffusion
A Consideration of the Flammability of Mixtures Resulting From Mass Diffusion, p. 450

Mass Loss
One-Dimensional Charring Rates in Wood, p. 433

Mass Optical Density
The Effect of Sample Orientation in the Smoke Density Chamber, p. 234

Mass Transfer Number
Limiting Oxygen Index Measurement and Interpretation in an Opposed Flow Diffusion Flame Apparatus, p. 200

Mathematical Model
The Burning of Solid Polymeric Particles in a Reactive Environment. I. Wood, p. 347

Melt-Flow Characteristics
An Investigation of the Effects of High Temperatures Upon Various Industrial Polymers, p. 387

Methane
A Consideration of the Flammability of Mixtures Resulting From Mass Diffusion, p. 450

Mine Fuels
Performance Characteristics of Semiconductor Sensors Under Pyrolytic, Flaming, and Smoldering Combustion Conditions, p. 71

Molecular Diffusion
A Consideration of the Flammability of Mixtures Resulting From Mass Diffusion, p. 450

Multicapability Fire Test
The Multicapability Fire Test Method, p. 248

NBS Smoke Chamber
Defining the Smoke Density Hazard of Plastics, p. 217

The Multicapability Fire Test Method, p. 248

Variables in the NBS Smoke Chamber, p. 337

NBS Smoke Density Test
Flame and Smoke Properties of Filled and Unfilled Poly(Aryloxyphosphazene) Homopolymers, p. 5

Flame and Smoke Properties of the Polyphosphazenes. II. 1:1-Poly(Aryloxyphosphazene) Copolymers, p. 358

Flammability of Poly(Dimethylsiloxanes). II. Flammability and Fire Hazard Properties, p. 504

Non-Metallic Materials
Fire Response Characteristics of Non-Metallic Materials: A Review of Recent Papers and Reports, p. 539

Smoke Emission of Aircraft Seat Materials, p. 530

Ohio State Release Rate Apparatus
The Multicapability Fire Test Method, p. 248

One-Dimensional Charring Rates
One-Dimensional Charring Rates, in Wood, p. 433

Opposed Flow Diffusion Flame
Limiting Oxygen Index Measurement and Interpretation in an Opposed Flow Diffusion Flame Apparatus, p. 200

Optical Density
Defining the Smoke Density Hazard of Plastics, p. 217

Optical Obscuration
Smoke Generation From the Burning of Some Polymeric Materials, p. 41

Organasilicon Flames
Flammability of Poly(Dimethylsiloxanes). I. A Model for Combustion, p. 482

Oxygen Concentration
The Effects of Forced Air Flow and Oxygen Concentration on Flammability, Smoke Density, and Pyrolytic Toxicity, p. 181

Smoke Generation From the Burning of Some Polymeric Materials, p. 41

Oxygen Depletion
Flammability of Poly(Dimethylsiloxanes). II. Flammability and Fire Hazard Properties, p. 504

Oxygen-Enriched Atmosphere
Flame Spread Over Solid and Liquid Fuels, p. 19

Oxygen Index
Flame and Smoke Properties of Filled and Unfilled Poly(Aryloxyphosphazene) Homopolymers, p. 5

Flame and Smoke Properties of the Polyphosphazenes. II. 1:1-Poly(Aryloxyphosphazene) Copolymers, p. 358

Flammability Characteristics of Aircraft Interior Composites, p. 401

Limiting Oxygen Index Measurement and Interpretation in an Opposed Flow Diffusion Flame Apparatus, p. 200

Panic Behavior
Human Behavior in Fires, p. 559

Parameters, Test
One-Dimensional Charring Rates in Wood, p. 433

Particle Size
The Burning of Solid Polymeric Particles in a Reactive Environment. I. Wood, p. 347

Particle Size Distribution
Initial Data on the Physical Properties of Smoke Produced by Burning Materials Under Different Conditions, p. 165

Particulate Concentration
Initial Data on the Physical Properties of Smoke Produced by Burning Materials Under Different Conditions, p. 165

Perspective Plotting
Full-Scale Shipboard Fire Test: Comparison of Three Parameters Via Perspective Plotting, p. 59

Physical Properties
Initial Data on the Physical Properties of Smoke Produced by Burning Materials Under Different Conditions, p. 165

Pipelines
A Consideration of the Flammability of Mixtures Resulting From Mass Diffusion, p. 450

Plotting, Perspective
Full-Scale Shipboard Fire Test: Comparison of Three Parameters Via Perspective Plotting, p. 59

PMMA Rods
Flame Propagation Characteristics of Cylindrical PMMA Rods, p. 104

Poly(Aryloxyphosphazene)
Flame and Smoke Properties of Filled and Unfilled Poly(Aryloxyphosphazene) Homopolymers, p. 5

Poly(Aryloxyphosphazene) Copolymers
Flame and Smoke Properties of the Polyphosphazenes. II. 1:1-Poly(Aryloxyphosphazene) Copolymers, p. 358

Poly(Dimethylsiloxanes)
Flammability of Poly(Dimethylsiloxanes). II. Flammability and Fire Hazard Properties, p. 504

Flammability of Poly(Dimethylsiloxanes). I. A Model for Combustion, p. 482

Polyesters
Defining the Smoke Density Hazard of Plastics, p. 217

Polymer Combustion
Limiting Oxygen Index Measurement and Interpretation in an Opposed Flow Diffusion Flame Apparatus, p. 200

Polymer Systems
Flame and Smoke Properties of the Polyphosphazenes. II. 1:1-Poly(Aryloxyphosphazene) Copolymers, p. 358

Polymeric Materials
Fire Containment Tests of Aircraft Interior Panels, p. 257

Smoke Generation From the Burning of Some Polymeric Materials, p. 41

Polymeric Particles, Solid
The Burning of Solid Polymeric Particles in a Reactive Environment. I. Wood, p. 347

Polymers
Defining the Smoke Density Hazard of Plastics, p. 217

Flame and Smoke Properties of Filled and Unfilled Poly(Aryloxyphosphazene) Homopolymers, p. 5

Limiting Oxygen Index Measurement and Interpretation in an Opposed Flow Diffusion Flame Apparatus, p. 200

Polymers, Industrial
An Investigation of the Effects of High Temperatures Upon Various Industrial Polymers, p. 387

Polymers, Low Smoke
Smoke Emission of Aircraft Seat Materials, p. 530

Polyphosphazenes
Flame and Smoke Properties of Filled and Unfilled Poly(Aryloxyphosphazene) Homopolymers, p. 5

Polyphosphazenes
Flame and Smoke Properties of the Polyphosphazenes. II. 1:1-Poly(Aryloxyphosphazene) Copolymers, p. 358

Polypropylene
Smoke Generation From the Burning of Some Polymeric Materials, p. 41

Polystyrene
Smoke Generation From the Burning of Some Polymeric Materials, p. 41

Polysulfone
An Investigation of the Effects of High Temperatures Upon Various Industrial Polymers, p. 387

Pool Fire
Ames T-3 Fire Test Facility — Aircraft Crash Fire Simulation, p. 470

PPO Polyphenylene Oxide
An Investigation of the Effects of High Temperatures Upon Various Industrial Polymers, p. 387

Protection
Full-Scale Shipboard Fire Test: Comparison of Three Parameters Via Perspective Plotting, p. 59

Pyrolysis
The Burning of Solid Polymeric Particles in a Reactive Environment. I. Wood, p. 347

Flame Propagation Characteristics of Cylindrical PMMA Rods, p. 104

Flammability Characteristics of Aircraft Interior Composites, p. 401

Pyrolytic Combustion
Performance Characteristics of Semiconductor Sensors Under Pyrolytic, Flaming, and Smoldering Combustion Conditions, p. 71

Pyrolytic Toxicity
The Effects of Forced Air Flow and Oxygen Concentration on Flammability, Smoke Density, and Pyrolytic Toxicity, p. 181

Radiant Panel
The Multicapability Fire Test Method, p. 248

Radiation
Ames T-3 Fire Test Facility — Aircraft Crash Fire Simulation, p. 470

Flammability of Poly(Dimethylsiloxanes). I. A Model for Combustion, p. 482

Radiation, Solar
Absorption by Smoke Particles of Thermal Radiation in Large Fires, p. 460

Radiation, Thermal
Absorption by Smoke Particles of Thermal Radiation in Large Fires, p. 460

Radiative Heating
Absorption by Smoke Particles of Thermal Radiation in Large Fires, p. 460

Reactive Environment
The Burning of Solid Polymeric Particles in a Reactive Environment. I. Wood, p. 347

Reentering Burning Building
Human Behavior in Fires, p. 559

Re-Entry Behavior
The Determination of Behavior Responses Exhibited in Fire Situations, p. 319

Regression Analysis
The Effects of Forced Air Flow and Oxygen Concentration on Flammability, Smoke Density, and Pyrolytic Toxicity, p. 181

Rock Dust Clouds
Performance Characteristics of Semiconductor Sensors Under Pyrolytic, Flaming, and Smoldering Combustion Conditions, p. 71

Sample Orientation
The Effect of Sample Orientation in the Smoke Density Chamber, p. 234

Seat Materials, Aircraft
Smoke Emission of Aircraft Seat Materials, p. 530

Self-Heating Chemicals
Some Fire Considerations for Transportation of Self-Heating Chemicals, p. 303

Semiconductor Sensors
Performance Characteristics of Semiconductor Sensors Under Pyrolytic, Flaming, and Smoldering Combustion Conditions, p. 71

Ship Fires
Full-Scale Shipboard Fire Test: Comparison of Three Parameters Via Perspective Plotting, p. 59

Smoke
Measurements of the Behavior of the Incidental Fires in a Compartment, p. 368

Smoke Detector
Performance Characteristics of Semiconductor Sensors Under Pyrolytic, Flaming, and Smoldering Combustion Conditions, p. 71

Smoke Density
The Effects of Forced Air Flow and Oxygen Concentration on Flammability, Smoke Density, and Pyrolytic Toxicity, p. 181

Fire Safety Evaluation of Aircraft Lavatory and Cargo Compartments, p. 125

Flammability of Poly(Dimethylsiloxanes). II. Flammability and Fire Hazard Properties, p. 504

The Multicapability Fire Test Method, p. 248

Smoke Density Hazard
Defining the Smoke Density Hazard of Plastics, p. 217

Smoke Emission
Smoke Emission of Aircraft Seat Materials, p. 530

Variables in the NBS Smoke Chamber, p. 337

Smoke Evolution
Fire Response Characteristics of Non-Metallic Materials: A Review of Recent Papers and Reports, p. 539

Flame and Smoke Properties of Filled and Unfilled Poly(Aryloxyphosphazene) Homopolymers, p. 5

Flammability Characteristics of Aircraft Interior Composites, p. 401

Flammability of Poly(Dimethylsiloxanes). II. Flammability and Fire Hazard Properties, p. 504

Smoke Generation
Smoke Generation From the Burning of Some Polymeric Materials, p. 41

Smoke Measurement
The Effect of Sample Orientation in the Smoke Density Chamber, p. 234

Initial Data on the Physical Properties of Smoke Produced by Burning Materials Under Different Conditions, p. 165

Smoke Particles
Absorption by Smoke Particles of Thermal Radiation in Large Fires, p. 460

Smoke Properties
Flame and Smoke Properties of the Polyphosphazenes. II. 1:1-Poly(Aryloxyphosphazene) Copolymers, p. 358

Smoke Suppressants
The Effect of Sample Orientation in the Smoke Density Chamber, p. 234

Smoldering
Defining the Smoke Density Hazard of Plastics, p. 217

Variables in the NBS Smoke Chamber, p. 337

Smoldering Combustion
Performance Characteristics of Semiconductor Sensors Under Pyrolytic, Flaming, and Smoldering Combustion Conditions, p. 71

Solid Fuels
Flame Spread Over Solid and Liquid Fuels, p. 19

Solid Polymeric Particles
The Burning of Solid Polymeric Particles in a Reactive Environment. I. Wood, p. 347

Specific Optical Density
Smoke Emission of Aircraft Seat Materials, p. 530

Specimen Holder
Variables in the NBS Smoke Chamber, p. 337

Speed, Burn
Large Scale Fire Tests, p. 112

Storage Tanks, Fuel
A Consideration of the Flammability of Mixtures Resulting From Mass Diffusion, p. 450

Subscale Fire Test
Ames T-3 Fire Test Facility — Aircraft Crash Fire Simulation, p. 470

Surface Regression
Flame Propagation Characteristics of Cylindrical PMMA Rods, p. 104

Surface-To-Volume Ratio
An Investigation of the Effects of High Temperatures Upon Various Industrial Polymers, p. 387

Suspension Density
The Burning of Solid Polymeric Particles in a Reactive Environment. I. Wood, p. 347

Systems
Fire Response Characteristics of Non-Metallic Materials: A Review of Recent Papers and Reports, p. 539

Taguchi Gas Sensor (TGS) 109
Performance Characteristics of Semiconductor Sensors Under Pyrolytic, Flaming, and Smoldering Combustion Conditions, p. 71

Teflon
An Investigation of the Effects of High Temperatures Upon Various Industrial Polymers, p. 387

Tefzel
An Investigation of the Effects of High Temperatures Upon Various Industrial Polymers, p. 387

Temperature
The Burning of Solid Polymeric Particles in a Reactive Environment. I. Wood, p. 347

Fire Containment Tests of Aircraft Interior Panels, p. 257

Fire Safety Evaluation of Aircraft Lavatory and Cargo Compartments, p. 125

Flammability Characteristics of Aircraft Interior Composites, p. 401

Full-Scale Shipboard Fire Test: Comparison of Three Parameters Via Perspective Plotting, p. 59

An Investigation of the Effects of High Temperatures Upon Various Industrial Polymers, p. 387

Large Scale Fire Tests, p. 112

Measurements of the Behavior of the Incidental Fires in a Compartment, p. 368

Test Chamber, Ventilated
Initial Data on the Physical Properties of Smoke Produced by Burning Materials Under Different Conditions, p. 165

Test Facility, Fuel-Fire
Ames T-3 Fire Test Facility — Aircraft Crash Fire Simulation, p. 470

TGA Accessory
An Investigation of the Effects of High Temperatures Upon Various Industrial Polymers, p. 387

Thermal Environment
Smoke Generation From the Burning of Some Polymeric Materials, p. 41

Thermal Gravimetric Analysis
Flammability of Poly(Dimethylsiloxanes). II. Flammability and Fire Hazard Properties, p. 504

Thermal Insulation
Some Fire Considerations for Transportation of Self-Heating Chemicals, p. 303

Thermal Model
One-Dimensional Charring Rates in Wood, p. 433

Thermal Radiation
Absorption by Smoke Particles of Thermal Radiation in Large Fires, p. 460

Measurements of the Behavior of the Incidental Fires in a Compartment, p. 368

Thermal Regime
Flame Propagation Characteristics of Cylindrical PMMA Rods, p. 104

Thermal Response
Ames T-3 Fire Test Facility — Aircraft Crash Fire Simulation, p. 470

Thermal Thickness
Flame Propagation Characteristics of Cylindrical PMMA Rods, p. 104

Thermochemical Characteristics
Flammability Characteristics of Aircraft Interior Composites, p. 401

Thermogravimetric Analysis
Flammability Characteristics of Aircraft Interior Composites, p. 401

Thermoplastics
Defining the Smoke Density Hazard of Plastics, p. 217

Toxic Gases
Fire Containment Tests of Aircraft Interior Panels, p. 257

Fire Safety Evaluation of Aircraft Lavatory and Cargo Compartments, p. 125

Large Scale Fire Tests, p. 112

Toxicity
Fire Containment Tests of Aircraft Interior Panels, p. 257

Fire Response Characteristics of Non-Metallic Materials: A Review of Recent Papers and Reports, p. 539

The Multicapability Fire Test Method, p. 248

Transportation
Some Fire Considerations for Transportation of Self-Heating Chemicals, p. 303

Upholstery
Measurements of the Behavior of the Incidental Fires in a Compartment, p. 368

Upholstery Fires, Urethane
Large Scale Fire Tests, p. 112

Urban Fires
The Impact of Fire Research on the Building Industries and Fire Services in the Next Decade, p. 279

Urethane Combustion Products
Large Scale Fire Tests, p. 112

Urethane Foam
Defining the Smoke Density Hazard of Plastics, p. 217

The Effect of Sample Orientation in the Smoke Density Chamber, p. 234

Flammability Characteristics of Aircraft Interior Composites, p. 401

Initial Data on the Physical Properties of Smoke Produced by Burning Materials Under Different Conditions, p. 165

Smoke Emission of Aircraft Seat Materials, p. 530

Urethane Upholstery Fires
Large Scale Fire Tests, p. 112

Velocity, Air
The Effects of Forced Air Flow and Oxygen Concentration on Flammability, Smoke Density, and Pyrolytic Toxicity, p. 181

Velocity, Vertical
Absorption by Smoke Particles of Thermal Radiation in Large Fires, p. 460

Ventilated Combustion Products Test Chamber
Initial Data on the Physical Properties of Smoke Produced by Burning Materials Under Different Conditions, p. 165

Ventilated Compartment
Measurements of the Behavior of the Incidental Fires in a Compartment, p. 368

Vertical Smoke Measurement
The Effect of Sample Orientation in the Smoke Density Chamber, p. 234

Vespel
An Investigation of the Effects of High Temperatures Upon Various Industrial Polymers, p. 387

Viton
An Investigation of the Effects of High Temperatures Upon Various Industrial Polymers, p. 387

Volatile Products
Flammability Characteristics of Aircraft Interior Composites, p. 401

Volatility Characteristics
Flammability of Poly(Dimethylsiloxanes). II. Flammability and Fire Hazard Properties, p. 504

Flammability of Poly(Dimethylsiloxanes). I. A Model for Combustion, p. 482

Waste Receptacle
Measurements of the Behavior of the Incidental Fires in a Compartment, p. 368

Water Mists
Performance Characteristics of Semiconductor Sensors Under Pyrolytic, Flaming, and Smoldering Combustion Conditions, p. 71

Wind Velocity
Full-Scale Shipboard Fire Test: Comparison of Three Parameters Via Perspective Plotting, p. 59

Wood
The Burning of Solid Polymeric Particles in a Reactive Environment. I. Wood, p. 347

One-Dimensional Charring Rates in Wood, p. 433

Wool Fabrics
Variables in the NBS Smoke Chamber, p. 337